



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

CATALOGUE

KunShan Adhesive Package International Co., Ltd is the professional exporter who specializes in exporting various injection pumps,caulking guns, dual cartridges, static mixers, blowing pump, plastic sleeve and the related accessories and so on. While our products are being continuously up-graded in accordance with the demands from the market, we always insist on offering the most-favorable prices, high-quality products, and best service.

● Two-component Caulking Gun

- 1). Manual Caulking Gun (Nylon).....Page 2-3
- 2). Manual Caulking Gun (Iron)Page 4
- 3). Pneumatic/Air caulking Gun.....Page 5-6
- 4). Cordless Caulking Gun.....Page 7

● One-component Caulking Gun

- 1). Manual Caulking Gun.....Page 8
- 2). Pneumatic/Air caulking Gun.....Page 8
- 3). Cordless Caulking Gun.....Page 8

● Two-component Cartridge

- 1). Two component cartridge – Integral cartridge.....Page 9
- 2). Two component cartridge – Clip together.....Page 10

● One-component Cartridge

- 1).One-component Cartridge.....Page 11

● Dispensing Syringe Barrel

- 1).Dispensing Syringe Barrel.....Page 12

● Static Mixer

- 1). Series A bayonet lock type.....Page 12
- 2). Series B open type.....Page 13
- 3). Series C spiral typePage 14
- 4). Series DPage 15
- 5). Series EPage 15







● Blow Pump & Plastic Sleeve

- 1). Blow Pump.....Page 16
- 2). Plastic Sleeve.....Page 16

● Injection Pumps & Accessories

- 1). Injection Pump.....Page 17
- 2). AccessoriesPage 18-20

1). Manual Caulking Gun (Nylon)

Item No.	Cartridge Capacity & Ratio	Materials	Net Weight	Cartridge Picture View
CG-50-1-1	50ml 1:1 & 2:1	Nylon Metal Alloy	0.25 kg	 <p>22mm 22mm 100mm 1:1 43mm 25mm 100mm 2:1</p>
CG-50-10-1	50ml 4:1 & 10:1	Nylon Metal Alloy	0.25 kg	 <p>42mm 100mm 24mm 4:1 42mm 100mm 24mm 10:1</p>
CG-200-1-1	200ml 1:1	Nylon frame Stainless Steel Rod	1.10 kg	 <p>38mm 38mm 150mm</p>
CG-200-2-1	200ml 2:1	Nylon frame Stainless Steel Rod	1.10 kg	 <p>79mm 150mm 45mm</p>
CG-235-10-1	235ml 10:1	ABS / Nylon frame Stainless Steel Rod	1.10 kg	 <p>68mm 150mm 50mm</p>
CG-250-10-1	250ml 10:1	Nylon frame Stainless Steel Rod	1.00 kg	 <p>75mm 145mm 55mm</p>




KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com









Item No.	Cartridge Capacity & Ratio	Materials	Net Weight	Cartridge Picture View
CG-345-10-1	345ml 10:1	ABS / Nylon frame Stainless Steel Rod	1.00 kg	
CG-360-5-1	360ml 5:1	ABS / Nylon frame Stainless Steel Rod	1.00 kg	
CG-380-10-1	380ml 10:1	Nylon frame Stainless Steel Rod	1.00 kg	
CG-385-10-1	385ml 10:1	Nylon frame Stainless Steel Rod	1.00 kg	
CG-400-1-1	400ml 1:1	Nylon frame Stainless Steel Rod	1.10 kg	
CG-400-2-1	400ml 2:1	Nylon frame Stainless Steel Rod	1.10 kg	
CG-400-3-1	400ml 3:1	ABS / Nylon frame Stainless Steel Rod	1.00kg	
CG-450-2-1	450ml 2:1	Nylon frame Stainless Steel Rod	1.08 kg	
CG-490-10-1	490ml 10:1	Nylon frame Stainless Steel Rod	1.00 kg	
CG-600-1-1	600ml 1:1	Nylon frame Stainless Steel Rod	1.08 kg	

Remark:

1. Inner package is box individually
2. Outer package is standard export paper carton

2). Manual Caulking Gun (Iron)



Item No.	Cartridge Capacity & Ratio	Materials	Net Weight	Cartridge Picture View
CGI-225-2-1	225ml 2:1	Iron frame Nylon handle Stainless Steel Rod	1.00kg	
CGI-300-1-1	300ml 1:1	Iron frame Nylon handle Stainless Steel Rod	1.00kg	
CGI-375-4-1	375ml 4:1	Iron frame Nylon handle Stainless Steel Rod	1.00kg	
CGI-380-10-1	380ml 10:1	Iron frame Stainless Steel Rod	0.95kg	
CGI-585-3-1	585ml 3:1	Iron frame Nylon handle Stainless Steel Rod	1.45kg	
CGI-750-4-1	750ml 4:1	Iron frame Nylon handle Stainless Steel Rod	1.75kg	
CGI-825-10-1	825ml 10:1	Iron frame Nylon handle Stainless Steel Rod	1.75kg	
CGI-900-2-1	900ml 2:1	Iron frame Nylon handle Stainless Steel Rod	1.76kg	



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

CGI-900-5-1	900ml 5:1	Iron frame Nylon handle Stainless Steel Rod	1.76kg	
-------------	-----------	---	--------	--

3). Pneumatic/Air caulking Gun



Item No.	Cartridge Capacity & Ratio	Materials	Net Weight	Cartridge Picture View
CGA-400-1-1	400ml 1:1	Nylon & Aluminium	3.20 kg	
CGA-400-2-1	400ml 2:1	Nylon & Aluminium	3.20 kg	
CGA-400-3-1	400ml 3:1	Nylon & Aluminium	3.20 kg	
CGA-450-2-1	450ml 2:1	Nylon & Aluminium	3.20 kg	
CGA-490-10-1	490ml 10:1	Nylon & Aluminium	3.30 kg	
CGA-600-1-1	600ml 1:1	Nylon & Aluminium	3.30 kg	



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

CGA-675-8-1	675ml 8:1	Nylon & Aluminium	3.40 kg	
CGA-750-4-1	750ml 4:1	Nylon & Aluminium	3.40 kg	
Item No.	Cartridge Capacity & Ratio	Materials	Net Weight	Cartridge Picture View
CGA-825-10-1	825ml 10:1	Nylon & Aluminium	3.40 kg	
CGA-900-2-1	900ml 2:1	Nylon & Aluminium	3.40 kg	
CGA-900-5-1	900ml 5:1	Nylon & Aluminium	3.40 kg	
CGA-1050-2.5-1	1050ml 2.5:1	Nylon & Aluminium	3.40 kg	
CGA-1200-1-1	1200ml 1:1	Nylon & Aluminium	3.50 kg	
CGA-1500-1-1	1500ml 1:1	Nylon & Aluminium	3.50 kg	

Remark:

1. Thrust: 625kg ~ 800kg
2. Air supply: 6.8 bar (100 PSI) ~ 10 bar (145 PSI)
3. Male: 1/4" BSP Air Supply Fitting (EU)
1/4" NPT Air Supply Fitting (US)
3. Packaging: Packed individually

4). Cordless Caulking Gun



Item No.	Cartridge Capacity & Ratio	Voltage & Battery	Net Weight	Cartridge Picture View
CCG-360-5-1	360 ml 5:1	DC 7.4V Li-ion	2.00kg	
CCG-380-10-1	380ml 10:1	DC 7.4V Li-ion	2.00kg	
CCG-400-1-1	400ml 1:1	DC 7.4V Li-ion	2.50kg	
CCG-600-1-1	600ml 1:1	DC 7.4V Li-ion	2.50kg	
CCG-825-10-1	825ml 10:1	DC 7.4V Li-ion	3.00kg	

Remarks:

Battery :DC7.4V Li-ion

Charging time:2 hours

Duration time:6hours

Thrust:290KGF

Input: AC100V~240V, 50 Hz~60Hz

Output: DC8.7V 1.5V


Caulking speed:415mm/min

1). Manual Caulking Gun - one component



Item No.	Capacity	Materials	Net Weight
CGI300-330	300-330ml cartridge/sausage	Aluminium Tube Metal Alloy handle	0.56kg
CGI400	400ml sausage	Aluminium Tube Metal Alloy handle	0.65kg
CGI600	600ml sausage	Aluminium Tube Metal Alloy handle	1.04kg
CGI300-310	300-310ml cartridge	Iron frame Metal Alloy handle	0.63kg
CG-300	300-330ml cartridge	ABS / Nylon frame Stainless Steel Rod	0.80kg

2). Pneumatic / Air caulking Gun - one component



Item No.	Capacity	Materials	Net Weight
CGA300	300-330ml cartridge/sausage	Aluminum & Iron	0.65 kg
CGA400	400ml sausage	Aluminum & Iron	0.85 kg
CGA600	600ml sausage	Aluminum & Iron	1.00 kg

3). Cordless Caulking Gun – one component



Item No.	Capacity	Materials	Net Weight
CCG300	300-330ml cartridge/sausage	Aluminum & Iron	0.65 kg



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

CCG400	400ml sausage	Aluminum & Iron	0.85 kg
CCG600	600ml sausage	Aluminum & Iron	1.00 kg

1). Two component cartridge – Integral cartridge



Cartridge Capacity	Mixing Ratio	Material	Wall Thickness	Part A Diameter	Part B Diameter	Length
24 ml	1:1	PP,PE	≥ 2mm	20 mm	20 mm	80 mm
50 ml	1:1	PP,PE	≥ 2mm	22 mm	22 mm	100 mm
50 ml	2:1	PP,PE	≥ 2mm	25 mm	18 mm	100 mm
50 ml	4:1	PP,PE	≥ 2mm	24 mm	10 mm	100 mm
50 ml	10:1	PP,PE	≥ 2mm	25 mm	8 mm	100 mm
200 ml	1:1	PP,PE	≥ 2mm	37 mm	37 mm	150 mm
235 ml	10:1	PBT	≥ 2mm	50 mm	18 mm	150 mm
345 ml	10:1	PP,PE	≥ 2mm	50 mm	18 mm	215 mm
360 ml	5:1	PP,PE	≥ 2mm	50 mm	25 mm	215 mm
385 ml	3:1	PP,PE	≥ 2mm	55 mm	33 mm	160 mm
400 ml	1:1	PP,PE	≥ 2mm	45 mm	45 mm	185 mm
450 ml	2:1	PP,PE	≥ 2mm	50 mm	37 mm	215 mm
585 ml	3:1	PP,PE	≥ 2mm	55 mm	33 mm	235 mm
590 ml	1:1	PP,PE	≥ 2mm	49.5 mm	49.5 mm	215 mm



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

600 ml	1:1	PP,PE	≥ 2mm	50 mm	50 mm	215 mm
1500 ml	1:1	PP,PE	≥ 2mm	79 mm	79 mm	215 mm
Standard Accessory: bodies, seals, retaining nuts, cap						

2). Two component cartridge – Clip together



Cartridge Capacity	Mixing Ratio	Material	Wall Thickness	Part A Diameter	Part B Diameter	Length
75 ml * 75 ml	1:1	PP,PE	≥ 2mm	27 mm	27 mm	215mm
150 ml * 75 ml	2:1	PP,PE	≥ 2mm	37 mm	27 mm	215mm
150 ml * 150 ml	1:1	PP,PE	≥ 2mm	37 mm	37 mm	215mm
300 ml * 75 ml	4:1	PP,PE	≥ 2mm	50 mm	27 mm	215mm
300 ml * 150 ml	2:1	PP,PE	≥ 2mm	50 mm	37 mm	215mm
300 ml * 300 ml	1:1	PP,PE	≥ 2mm	50 mm	50 mm	215mm
600 ml * 75 ml	8:1	PP,PE	≥ 2mm	70 mm	27 mm	215mm
600 ml * 150 ml	4:1	PP,PE	≥ 2mm	70 mm	37 mm	215mm
750 ml * 75 ml	10:1	PP,PE	≥ 2mm	79 mm	27 mm	215mm
600 ml * 300 ml	2:1	PP,PE	≥ 2mm	70 mm	50 mm	215mm
750 ml * 150 ml	5:1	PP,PE	≥ 2mm	79 mm	37 mm	215mm



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

750 ml * 300 ml	2.5:1	PP,PE	≥ 2mm	79 mm	50 mm	215mm
600 ml * 600 ml	1:1	PP,PE	≥ 2mm	70 mm	70 mm	215mm
750 ml * 600 ml	5:4	PP,PE	≥ 2mm	79 mm	70 mm	215mm
750 ml * 750 ml	1:1	PP,PE	≥ 2mm	79 mm	79 mm	215mm

Standard Accessory: bodies, seals,retaining nuts, "D" shaped cap

● One-component Cartridge

	Cartridge Capacity	300ml, 310ml
	Material	PP, PE
	Wall thickness	≥ 1.5mm
	Diameter	50mm
	Length	215mm

● Dispensing Syringe Barrel

Description	Dispensing syringe
Type	U.S. Type / Japanese Type
Volume	55cc, 50cc, 30cc, 10cc, 5cc, 3cc
Material	PP / PE
Color	Clear, Black, Amber, Green
Standard Accessory	Clear barrel, Pistion, Front Seal, End cap.



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com



Item no.: CG-30 US style syringe gun

Syringe: one-component

Capacity: 30ml

Material: Reinforced Nylon frame & Plastic Rod


Weight: 0.16kg / piece

Package: 12pcs / carton

Inner packing: 190mm×100mm×60mm

Outer packing: 395mm×215mm×300mm

● **Static Mixer**
– Series A bayonet lock type




Part No	Item No.	Outlet ID	Connector ID	Elements	Element Length	Element Diameter	Total Length
A1	SM3-17	0.85mm	7mm	17	53mm	3mm	63mm
A2	SM-S16	1.8mm	7mm	16	63mm	5.4mm	84mm
A3	SM5.4-17	1.5mm	7mm	17	83mm	5.4mm	103mm
A4	SM6.3-20	5mm	7mm	20	123mm	6.3mm	134mm
A5	SM6.3-21	1.5mm	7mm	21	132mm	6.3mm	155mm

Remarks:

Material: PP/PE Tube & POM Elements

Fit for 50ml/180ml two-component cartridges.


● **Static Mixer**
–Series B open type



Part No	Item No.	Outlet ID	Connector ID	Elements	Element Length	Element Diameter	Total Length
B1	SM7.5-24	2.5mm	17mm	24	104mm	7.5mm	130mm
B2	SM8-24	3.5mm	17mm	24	120mm	8.7mm	150mm
B3	SM5-24	1.5mm	17mm	24	118mm	5mm	150mm
B4	SM8-17	3mm	17mm	17	130mm	8mm	165mm
B5	SM11-18	3.5mm	17mm	18	155mm	11mm	212mm
B6	SM10-18	3mm	17mm	18	175mm	10mm	215mm
B7	SM10-18L	5.5mm	17mm	18	180mm	10mm	215mm
B8	SM9.3-24	3mm	17mm	24	200mm	9.3mm	232mm
B8.1	SM9.3-24L	3.5mm	17mm	24	200mm	9.3mm	276mm
B9	SM6-32	2mm	17mm	32	200mm	6mm	242mm
B10	SM10-24	3mm	17mm	24	240mm	10mm	275mm
B11	SM10-32	3mm	17mm	32	315mm	10mm	352mm
B12	SM13-36	4.5mm	17mm	36	376mm	13mm	420mm
B13	SM6-24	2mm	17mm	24	150mm	6mm	188mm
B13.1	SM6-24L	3mm	17mm	24	150mm	6mm	188mm
B13.2	SM6-24T	2mm	17mm	24	150mm	6mm	188mm
B14	SM9.3-21	3mm	17mm	21	198mm	9.3mm	232mm
B15	SM9.3-13	3mm	17mm	13	124mm	9.3mm	157mm
B16	SM13-24	4mm	17mm	24	248mm	12.5mm	292mm
B17	SM6-8T	2mm	17mm	8	55mm	6mm	90mm

Material: PP/PE Tube & POM Elements

● **Static Mixer**
-Series C spiral type



Part No	Item No.	Outlet ID	Connector ID	Elements	Element Length	Element Diameter	Total Length
C1	SM10-14	5.7mm	17mm	14	120mm	10mm	195mm
C2	SM10-19	3.1mm	17mm	19	185mm	10mm	258mm
C3	SM13-18	10mm	17mm	18	188mm	13mm	245mm
C4	SM11-8(7-5)	5mm	17mm	8+5	159mm	11mm / 7mm	242mm
C5	SM13-18L	6mm	17mm	18	188mm	13mm	370mm
C6	SM16-20	10mm	17mm	20	263mm	16mm	440mm
C7	SM10-24S	3mm	17mm	24	240mm	10mm	282mm
C8	SM10-24SL	2.2mm	17mm	24	240mm	10mm	282mm
C9	SM10-18S	3mm	17mm	18	175mm	10mm	224mm
C10	SM10-18SL	2.2mm	17mm	18	175mm	10mm	224mm
C11	SM8-24G	3.5mm	17mm	24	120mm	8.7mm	162mm
C12	SM8-24P	3.5mm	17mm	24	120mm	8.7mm	162mm

Material: PP/PE Tube & POM Elements

Blow Pump

	Item No.	Tube Length	Body Length	Packing
	BP-190	320mm	190mm	25 pcs / ctn
	BP-225	240mm	225mm	25 pcs / ctn
	BP-265	270mm	265mm	25 pcs / ctn
	BP-370	370mm	370mm	30 pcs / ctn


Application: Clearing the hole.

Air pressure: 5kg~7kg

Air-out pipe can be circumgyrated up to 360 and clear the hole in any direction.






The hole in the wall is between 10mm to 40mm.

Plastic Sleeve

	Item No.	Diameter	Thickness	Length	Material	Packing
	SW-12*85	12 mm	≥0.9mm	85mm	PP,PVC	2000pcs/ctn
	SW-15*85	15 mm	≥0.9mm	85mm	PP,PVC	2000pcs/ctn
	SW-20*85	20 mm	≥0.9mm	85mm	PP,PVC	2000pcs/ctn

It has enhanced drilled holes to help insure any ideal distribution of the adhesive over the entire length of the sleeve. This results in an extremely strong bond between the anchor and the masonry wall. The stiffness of the perforated sleeve is very high to allow easy insertion into a drilled hole.

Injection Pumps

Item No.	Picture	Technical Datas	
Item-500 Injection Pump (one-component)		The Maximum output pressure	11000psi
		The Second Start-up Pressure	8500psi
		High-pressure pipe's Maximum Burst pressure	10000psi
		The Safty range of Switch Valve	10000psi
		Flow	0 - 0.8L/min
		Motor Driver	220V/560W/50HZ
Item-512 Injection Pump (one-component)		The Maximum output pressure	10000psi
		The Second Start-up Pressure	7500psi
		High-pressure pipe's Maximum Burst pressure	10000psi
		The Safty range of Switch Valve	10000psi
		Flow	0 - 0.7L/min
		Motor Driver	220V/500W/50HZ
Item-600 Injection Pump (one-component)		The Maximum output pressure	12000psi
		The Second Start-up Pressure	8500psi
		High-pressure pipe's Maximum Burst pressure	13000psi
		The Safty range of Switch Valve	13000psi
		Flow	0 - 0.8L/min
		Motor Driver	220V/560W/50HZ
Item-800 Injection Pump (Bi-component)		The Output pressure	0 - 6000psi (0-400kg/cm2)
		The alertness Output Pressure	:8000psi (550kg/cm2)
		High-pressure pipe's Working Pressure	0 - 6000psi (0-400kg/cm2)
		Switch Valve's Working Pressure	0 - 6000psi (0-400kg/cm2)
		Flow	0 - 0.8L/min
		The range of Speed Regulation	1500 - 10000psi (100-700kg/cm2)
		Motor Driver	220V/560W/50HZ
Item-999 Injection Pump (one-component)		The Maximum output pressure	13500psi
		The Second Start-up Pressure	10000psi
		High-pressure pipe's Maximum Burst pressure	15000psi
		The Safty range of Switch Valve	18000psi
		Flow	0~1.5L/min
		Motor Driver	220V/650W/50HZ









KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

Accessories-----Injection Packers

Item No.	Picture	Description
A8 (13*80mm)		Packing:500pcs/ctn Weight:12kg/ctn Carton Size:12cm*34cm*27cm
A10 (13*100mm)		Packing:500pcs/ctn Weight:12.5kg/ctn Carton Size:12cm*34cm*27cm
A15 (13*150mm)		Packing:500pcs/ctn Weight:15.5kg/ctn Carton Size:12cm*34cm*27cm
A20(13*200mm)		Packing:500pcs/ctn Weight:18kg/ctn Carton Size:33cm*20cm*25cm
A25 (13*250mm)		Packing:500pcs/ctn Weight:22kg/ctn Carton Size:41cm*20cm*25cm
A30(13*300mm)		Packing:500pcs/ctn Weight24.6kg/ctn Carton Size:32cm*26cm*31cm

Aluminum Injection Packers



KunShan Adhesive Package International Co., Ltd






Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

	B8 (10*80mm)		Packing:1000pcs/ctn Weight:12kg/ctn Carton Size:31cm*29cm*20cm
	B10 (10*80mm)		Packing:1000pcs/ctn Weight:23.6kg/ctn Carton Size:31cm*29cm*20cm

Accessories-----Pistons of Pump

Item No.	Picture	Suitable Injection Pump
Piston of Pump		For Item-512 Injection Pump
		For Item-500 Injection Pump
		Item-600 Injection Pump
		For Item-999 Injection Pump
		For Item-800 Injection Pump



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.

Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

Accessories of Pump




Rubber ring for zerk



Rubber ring for zerk



Seal ring



High-pressure Pipe of Injection Pump



Connector for injection machine



High pressure gauge